



Welcome United States Patent and Trademark Office

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "((rollover<in>metadata) <and> (traffic<in>metadata))<and> (parameter&..."

e-mail printer

Your search matched 1 of 1360403 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((rollover<in>metadata) <and> (traffic<in>metadata))<and> (parameter<in>meta

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A router architecture for real-time communication in multicomputer networks**
Rexford, J.; Hall, J.; Shin, K.G.;
[Computers, IEEE Transactions on](#)
Volume 47, Issue 10, Oct. 1998 Page(s):1088 - 1101
Digital Object Identifier 10.1109/12.729792
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(500 KB\)](#) IEEE JNL
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

"rollover data" timer traffic shaping

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 8 of about 12 for "**rollover data**" **timer traffic shaping**. (0.58 seconds)

May 2005 @ Algona HS

Managed switch gives you versatility; Security (**traffic control**, ... No SNMP diagnostic led, no **traffic shaping**, local administration only, no security ...

www.aea8.k12.ia.us/en/programs_and_services/school_technology/tech_meetings/may_2005_algona_hs.cfm - 67k -
[Cached](#) - [Similar pages](#)

[PDF] Testimony of Joan Claybrook, President, Public Citizen, Former ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Former Administrator, National Highway **Traffic Safety** Administration ... Advocates for Highway and Auto Safety, Analysis of NHTSA SUV **Rollover data**. ...
commerce.senate.gov/~commerce/press/03/claybrook022603.pdf - [Similar pages](#)

Straightline

File Format: Unrecognized - [View as HTML](#)

These enable it to patrol up to four lanes of **traffic** at a **time** - current camera systems can ... So I'm very happy this **rollover data** may be made public, ...
blogs.edmunds.com/Straightline/blogrss/cat.Trends/synopsis.xml - [Similar pages](#)

[PDF] Reaching MPEG4 Decoder Performance Goals

File Format: PDF/Adobe Acrobat - [View as HTML](#)

essence of SEO is **traffic** optimization, not **traffic** maximization, with only one-time fixed costs and minimum maintenance costs; and the essence of PPC is ...
www.hwswworld.com/pdfs/frontier23.pdf - [Similar pages](#)

Accuracy of iiNet Volume Usage - iiNet / OzEmail

Your **traffic shaping** status is : Currently shaped to 64k Your offpeak **traffic shaping** status is : Currently shaped to 64k Your quota is : 10000 MB Peak **time** ...
forums.whirlpool.net.au/forum-replies-archive.cfm/371730.html - [Similar pages](#)

Automotive news - From AutomotiveDigest.com

Legal Battle **Shaping** Up Over Public Access to NHTSA Safety Records 6/22/2004 ...

Traffic Fatalities: Child Deaths Drop To All-Time Low; Motorcyclist Deaths ...

www.automotivedigest.com/view_arch_list.asp?mod=safety - 378k - [Cached](#) - [Similar pages](#)

Automotive news - From AutomotiveDigest.com

Legal Battle **Shaping** Up Over Public Access to NHTSA Safety Records 6/22/2004 ... SUV

Makers Rush to Improve Safety Before **Rollover Data** Made Public 5/19/ ...

www.automotivedigest.com/view_arch_list.asp?mod=manufacturing - [Similar pages](#)

[[More results from www.automotivedigest.com](#)]

[PDF] Personal Log Book 251-500

File Format: PDF/Adobe Acrobat

The NHTSA is now providing **rollover data**, the vehicle's ... **traffic**. The engine running during that **time** causes a huge efficiency hit, one that could ...

john1701a.com/prius/documents/john1701a_personal-log-book_251-500.pdf -
[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 8

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 1 of 1 for **rollover timer "policing parameter"**. (0.45 seconds)

Tip: Try removing quotes from your search to get more results.

[\[PDF\] OC-48 Saturn User Network Interface ATM Layer Solution \(S/UNI ...](#)

File Format: PDF/Adobe Acrobat

The burst tolerance is a **policing parameter** that indicates the maximum ... the Count**Rollover** FIFO every time at least one of these counts has its MSB set. ...www.21icsearch.com/searchpdf/download.asp?id=69911 - [Similar pages](#)Try your search again on [Google Book Search](#)Free! Speed up the web. [Download the Google Web Accelerator](#).[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

rollover timer "traffic shaping" policing paramet

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 104 for **rollover timer "traffic shaping" policing parameter maintenance channel comi**

Cisco IOS Software Release 12.2 Features and Hardware Support ...

When the **timer** expires, the NAS uses a configurable **parameter** to accept or reject the **incoming** call without the authorization. ...

www.cisco.com/en/US/products/sw/iosswrel/ps1835/prod_bulletin09186a00801f3d5e.html - 446k - [Cached](#) - [Similar pages](#)

Linux Advanced Routing & Traffic Control HOWTOBert Hubert ...

Incoming shaping is called '**policing**', by the way, not 'shaping'. ... needed for idle **time** calculations. **cell** The **time** a packet takes to be transmitted over ...

lartc.org/lartc.txt - 295k - [Cached](#) - [Similar pages](#)

Linux Advanced Routing & Traffic Control HOWTO

Incoming shaping is called '**policing**', by the way, not 'shaping'. ... **cell**. The **time** a packet takes to be transmitted over a device may grow in steps, ...

lartc.org/lartc.html - 333k - [Cached](#) - [Similar pages](#)

[[More results from lartc.org](#)]

Rate shaping in per-flow output queued routing mechanisms for ...

Traffic shaping must maintain **cell** sequence integrity on an ATM connection. ... To avoid **rollover** ambiguities, the **time** line 63 is designed to ensure that ...

www.freepatentsonline.com/6377583.html - 75k - [Cached](#) - [Similar pages](#)

Distributed telecommunications switching system and method ...

The **channel** bank of claim 21, wherein the **cell** scheduler is operable to give ... the **Time-stamp** ! field when necessary to prevent **roll over** errors for each ...

www.freepatentsonline.com/5953318.html - 262k - [Cached](#) - [Similar pages](#)

[PDF] FIBRE CHANNEL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

3.1.60 Usage **Parameter** Control (UPC): A set of **policing** mechanisms implemented by the ... **Cell** Transfer Delay. DCC. Data **Communication Channel** ...

www.t11.org/ftp/t11/member/fc/bb/99-377v1.pdf - [Similar pages](#)

[PDF] EtheReal : A Fault Tolerant Host-Transparent Mechanism for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Kbps **channel** for control and **maintenance** traffic. ... the **Real Time Communication Daemon**, and is transparent to the host application, which ...

www.ecsl.cs.sunysb.edu/tr/TR85.pdf - [Similar pages](#)

Cross-Platform Release Notes for Cisco IOS Release 12.4, Part 3 ...

isdn **incoming** ie {**channel-id** [accept-qsig-variant] | display {dms250 ... However, these **parameters** can be used when you are configuring **traffic** **shaping** ...

www.exio.com/univercd/cc/td/doc/product/software/ios124/124relnt/xprn124/124newf.htm - 678k - [Cached](#) - [Similar pages](#)

[doc] Technologies with Potential Applicability to Project MESA

File Format: Microsoft Word

Multisite open **channel** and multisite trunked open **channel**: **communication** ... and a group of 16 slots is **time-aligned** with one PN **roll-over** (26.66... ms). ...

[www.projectmesa.org/ftp/TSG_SYS/SYS07_Boston_2006/ SYS07_07_Technologies%20with%20Potential%20Applicabilit...](http://www.projectmesa.org/ftp/TSG_SYS/SYS07_Boston_2006/SYS07_07_Technologies%20with%20Potential%20Applicabilit...) - [Similar pages](#)

[PDF] [Linux Advanced Routing & Traffic Control HOWTO](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A very hands-on approach to iproute2, **traffic shaping** and a bit of ... **incoming** traffic, before it even enters the IP stack. 14.4.1. **Parameters** & usage ...

redvip.homelinux.net/varios/lart/lartc.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google ►

Result Page: 1 2 3 **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

rollover timer "traffic shaping" policing paramet

Search

[Advanced Search](#)
[Preferences](#)

Web Results 11 - 20 of about 104 for rollover timer "traffic shaping" policing parameter maintenance channel con

[PDF] [INFORMATION SOCIETY TECHNOLOGIES \(IST\) PROGRAMME D0.1 "Description ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Ability to capture and monitor, in real **time**, the **incoming** traffic with mask bits ...

Aggregation, QoS, ATM SAring, **traffic shaping**, **policing**, forwarding, ...

www.ist-scampi.org/publications/deliverables/D0.1.pdf - [Similar pages](#)

[PDF] [Society of Cable Telecommunication Engineers](#)

File Format: PDF/Adobe Acrobat

Attributes, and c) User Unique **Parameters**. The **Channel Parameters** include ... A **traffic-shaping** and **traffic-policing** function for Service Flow-based traffic ...

www.scte.org/documents/pdf/SCTE2312002DSS0209.pdf - [Similar pages](#)

[9.1.18 Cisco WAN Switching Software Release Notes](#)

Just press 'y' and enter the value of the **parameter** 'Trunk Cell Routing ... As soon as flooding is detected, the port **communication failure timer** is ...

cco.cisco.com/univercd/cc/td/doc/product/wanbu/bpx8600/9_1/rn91/7891swsw.htm - 651k -

[Cached](#) - [Similar pages](#)

[PDF] [Data-Over-Cable Service Interface Specifications DOCSIS 1.1 Radio ...](#)

File Format: PDF/Adobe Acrobat

time. mini-slots. **maintenance**. permitted use of the upstream **channel** ... A **traffic-shaping** and **traffic-policing** function for Service Flow-based traffic ...

www.cablemodem.com/downloads/specs/CM-SP-RF1v1.1-C01-050907.pdf - [Similar pages](#)

[PDF] [Jungo Software Technologies User Manual](#)

File Format: PDF/Adobe Acrobat

that all **communication parameters** are valid and that the physical cable con- ... **Traffic Shaping** is the solution for managing and avoiding congestion where ...

www.jungo.com/openrg/doc/4.2/user_guide/pdf/user_manual.pdf - [Similar pages](#)

[PDF] [RS8234](#)

File Format: PDF/Adobe Acrobat

stream on any **channel**. This guarantees compliance to **policing** algorithms ... ABR

channel. The RS8234 also responds to an **incoming** ABR **cell** stream as an ABR ...

www.mindspeed.com/web/documents/document.jsp?docid=14573 - [Similar pages](#)

[PDF] [RS8235](#)

File Format: PDF/Adobe Acrobat

stream on any **channel**. This guarantees compliance to **policing** algorithms ...

asynchronous nature of ATM, the **cell** contained in any **incoming cell** slot can ...

www.mindspeed.com/web/documents/document.jsp?docid=14873 - [Similar pages](#)

[[More results from www.mindspeed.com](#)]

[PDF] [Media Access Control Protocol Based on DOCSIS 1.1](#)

File Format: PDF/Adobe Acrobat

A **traffic-shaping** and **traffic-policing** function for Service Flow-based traffic management,

... adjust local **parameters**. [**time** to send an Initial **Maintenance** ...

www.ieee802.org/16/tg1/mac/contrib/802161mc-00_01.pdf - [Similar pages](#)

Repositorio de documentos - Linux depot

secure **communications**, but this time with help from racoon. For simplicity ... Incoming shaping is called '**policing**', by the way, not 'shaping'. ...

www.linuxdepot.com.br/pages.php?op=lartc.txt - 688k - [Cached](#) - [Similar pages](#)

/COMPDIC 24OCT02 V02-001/Computing and **Communications** Dictionary ... - [[Translate this page](#)]

仮パラメタ [かりパラメタ] /(formal) **parameter**/dummy argument/ 仮ポインタ [かり ... チャネル] /bearer **channel** (in ISDN)/**communication channel**/ 情報トラック ...

gjiten.sourceforge.net/dictfiles/compdic - 708k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 21 - 25 of about 104 for rollover timer "traffic shaping" policing parameter maintenance channel con

[@TECHREPORT{Ball9211:Core, AUTHOR="Anthony Ballardie and Paul ...](#)

The new format is designed to allow a gradual **roll over** from HTML, ... Therefore, this proposal reduces startup **time** for **communication** and improves the ...

www.cs.columbia.edu/~hgs/bib/i-d.bib - [Similar pages](#)

[Cross-Platform Release Notes for Cisco IOS Release 12.2 T, Part 5 ...](#)

Symptoms: A digital signal processor (DSP) may **time out** on a Cisco IAD2420 series ... The **B channel** is released instead of going into the **maintenance** state. ...

cio.cisco.com/univercd/cc/td/doc/product/software/ios122/122cavs/122tcavs.htm -

[Similar pages](#)

[Release Notes for Cisco IOS Release 12.2SX on the Supervisor ...](#)

After the physical interfaces are bundled into an EtherChannel, QoS classification, marking, and **policing** by the Policy Feature Card (PFC) for the **channel** ...

www.cisc.com/univercd/cc/td/doc/product/lan/cat6000/122sx/ol_4164.htm - [Similar pages](#)

[\[/\] LINKMATRIX.de: OSS 1600+ Free eLearning Tutorials Lernen - \[Translate this page \]](#)

It now lets the user create multiple encoders at run **time** with specified **parameters** You can get the latest package here. Check also Phil's home page. ...

www.linkmatrix.de/tutorials.php?q=OSS&cat=OPENSOURCE - [Similar pages](#)

news.gmane.org/find-root.php?message_id=%3C4137867...

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 25 already displayed.

If you like, you can repeat the search with the omitted results included.

◀ **Google**

Result Page: [Previous](#) [1](#) [2](#) [3](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 19 for rollover timer policing parameter maintenance channel communication incomi

Rate shaping in per-flow output queued routing mechanisms for ...

Arrival(f, j) is the **arrival time** of packet j of flow f; and ... 2 at 43, these connection **parameters** are written into the **cell** header. Then, the **cell** is ...

www.freepatentsonline.com/6377583.html - 75k - [Cached](#) - [Similar pages](#)

Distributed telecommunications switching system and method ...

The **channel** bank of claim 21, wherein the **cell** scheduler is operable to give ... the inter-**arrival time** variations resulting from the shared downstream **cell** ...

www.freepatentsonline.com/5953318.html - 262k - [Cached](#) - [Similar pages](#)

[PDF] EtheReal : A Fault Tolerant Host-Transparent Mechanism for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Kbps **channel** for control and **maintenance** traffic. ... the Real Time Communication Daemon, and is transparent to the host application, which ...

www.ecsl.cs.sunysb.edu/tr/TR85.pdf - [Similar pages](#)

[DOC] Technologies with Potential Applicability to Project MESA

File Format: Microsoft Word

Multisite open **channel** and multisite trunked open **channel**: **communication** identified by ... Based on the **arrival time** of the initial ranging request and the ...

www.projectmesa.org/ftp/TSG_SYS/SYS07_Boston_2006/SYS07_07_Technologies%20with%20Potential%20Applicabilit... - [Similar pages](#)

[PDF] INFORMATION SOCIETY TECHNOLOGIES (IST) PROGRAMME D0.1 "Description ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Ability to capture and monitor, in real **time**, the **incoming** traffic with mask bits (both headers ... of a given PDP/PEP/Client-type **communication channel**. ...

www.ist-scampi.org/publications/deliverables/D0.1.pdf - [Similar pages](#)

[PDF] Messages and Glossary

File Format: PDF/Adobe Acrobat

speed **communication channel** to/from each module in the bay for ... Theoretical **Arrival Time**. TDM. **Time** Division Multiplexing. A TDM system guarantees each ...

www.avici.org/documentation/PDFDocs/04589-00_revBA.pdf - [Similar pages](#)

[PDF] Full Service Branch

File Format: PDF/Adobe Acrobat

the packet **arrival time** or out-of-order packet delivery. These two factors cause the jitter buffers ... internal **communications channel**. The bank's 700-plus ...

www.cisco.com/warp/public/784/packet/nov03/pdfs/nov03.pdf - [Similar pages](#)

/COMPDIC 24OCT02 V02-001/Computing and **Communications** Dictionary ... - [[Translate this page](#)]

仮パラメタ [かりパラメタ] /(formal) **parameter**/dummy argument/ 仮ポインタ [かり ... チャ

ネル] /bearer **channel** (in ISDN)/**communication channel**/ 情報トラック ...

gjiten.sourceforge.net/dictfiles/compdic - 708k - [Cached](#) - [Similar pages](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat - [View as HTML](#)

MUIC to arrange for assignment and use of barracks, **maintenance**, admin and storage facilities. A **date/time** and location for joint facility inspections will ...
www.carson.army.mil/MOB/infpk98.pdf - [Similar pages](#)

[PDF] [M , M & SSS](#)

File Format: PDF/Adobe Acrobat

communication with your Sphere **Channel** Partner and/or Sphere **Communications** ...

MGs of the status of **incoming** telephone calls. This **time** limitation is ...

www.spherecom.com/support_docs/Book5_Manage_Monitor_Support.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google ►

Result Page: 1 2 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

rollover timer policing parameter maintenance

Search

[Advanced Search](#)
[Preferences](#)

Web Results 11 - 17 of about 19 for rollover timer policing parameter maintenance channel communication incor

TRB Research in Progress > Search Projects > Results

Travel Time Estimation Using Cell Phones for Highway and Roadways ... A critical need exists for secure cross-channel communications on present radio ...
rip.trb.org/search/advanced_project.asp?sc=HO::Highway%20Operations,%20Capacity%20and%20Traffic%20Control - [Similar pages](#)

[PDF] OC-48 Saturn User Network Interface ATM Layer Solution (S/UNI ...

File Format: PDF/Adobe Acrobat

policing parameters, particularly the Limit parameter of the Peak Cell Rate test ... The Theoretical Arrival Time (TAT1 and TAT2) are encoded as fixed-point ...
www.21icsearch.com/searchpdf/download.asp?id=69911 - [Similar pages](#)

[PDF] Messages and Glossary

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Description: Internal communication failed due to incorrect parameters ... Theoretical Arrival Time. TDM. Time Division Multiplexing. ...
www.avici.com/documentation/PDFDocs/04589-01_revAA.pdf - [Similar pages](#)

Aal {m} eel, moray Aas {n} carrion Aasfresser {m} scavenger ab ex ...

Everything at the proper time. alleviate alleviate Allgegenwart {f} ... arrival rate Ankunftszeit {f} arrival time ankurbeln stimulate anlächeln smile at ...
www.wordgumbo.com/ie/ger/ger/fdgereng.txt - [Similar pages](#)

Current Internet-Drafts This summary sheet provides a short ...

"An In-Band Rollover Mechanism and an Out-Of-Band Priming Method for DNSSEC ... and policing mechanisms for incoming traffic from end-customers or from ...
www.cs-ipv6.lancs.ac.uk/ftp-archive/Standards/allRFCs/internet-drafts/1id-abstracts.txt - [Similar pages](#)

From dennis at dati.com Fri Mar 6 16:58:53 1998 From: dennis at ...

Serves as a liaison and communications channel between the team and other ... but the actual arrival time of the product in beta form is up in the air. ...
lists.webjunction.org/wjlists/web4lib/1998-March.txt - [Similar pages](#)

news.gmane.org/find-root.php?message_id=%3C4137867...

[Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 17 already displayed.

If you like, you can repeat the search with the omitted results included.



Result Page: [Previous](#) 1 2

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24	(traffic near4 shap\$3) and polic\$3 and (roll\$over)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:32
S2	23	(traffic near4 shap\$3) and polic\$3 and (roll\$over) and arriv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:38
S3	8	"6108303"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:38
S4	1	"6108303" and (roll\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:38
S5	1	"6108303" and roll	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:39
S6	1	"5381407" and roll	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:39
S7	48	"5381407"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:39
S8	1	"5381407" and roll	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:39
S9	2	"5999518" and roll	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:40
S10	3	"20020031086"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:41
S11	7	"5668797"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:41

EAST Search History

S12	2	"5668797" and roll	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:42
S13	1	(roll\$over near4 data) and (polic\$3 near4 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:43
S14	9	(roll\$over near4 tim\$3) and (polic\$3 near4 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:47
S15	11	(roll\$over) and (polic\$3 near4 parameter) and global	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:50
S16	10	(roll\$3 adj4 over) and (polic\$3 near4 parameter) and global	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:52
S17	16	(roll\$3 adj4 over) and (polic\$3 near4 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:53
S18	60	(roll\$3 adj4 over) and (polic\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:53
S19	41	(roll\$3 adj4 over) and (polic\$3 near4 traffic) and timer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:53
S20	32	(roll\$3 adj4 over) and (polic\$3 near4 traffic) and timer and (arriv\$3 near4 tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:53
S21	0	(roll\$3 adj4 over) and (polic\$3 near4 traffic) and timer and (arriv\$3 near4 tim\$3) and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:54
S22	31	(roll\$3 adj4 over) and (polic\$3 near4 traffic) and timer and (arriv\$3 near4 tim\$3) and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:54
S23	11	(roll\$over) and (polic\$3 near4 traffic) and timer and (arriv\$3 near4 tim\$3) and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:55

EAST Search History

S24	11	(roll\$over) and (polic\$3 near4 traffic) and timer and (arriv\$3) and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:55
S25	26	(roll\$over) and (polic\$3 near4 traffic) and (arriv\$3) and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:56
S26	44	(roll\$over) and (polic\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:56
S27	17	(roll\$over) and (polic\$3 near4 traffic) and timer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:59
S28	88	(roll\$over or (roll\$3 near4 over)) and (polic\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 13:59
S29	53	(roll\$over or (roll\$3 near4 over)) and (polic\$3 near4 traffic) and timer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 14:48
S30	3	((("5381407") or ("6108303") or ("5999518")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 14:18
S31	1	"5784358".PN.	USPAT; USOCR	OR	ON	2005/12/27 14:17
S32	1	"5737312".PN.	USPAT; USOCR	OR	ON	2005/12/27 14:17
S33	1	"5666353".PN.	USPAT; USOCR	OR	ON	2005/12/27 14:17
S34	1	("5668797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 14:37
S35	1	("5999518").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 14:37
S36	9	(roll\$over or (roll\$3 near4 over)) and (shap\$3 near4 traffic) and timer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 14:51
S37	56	(roll\$over or (roll\$3 near4 over)) and (shap\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:01

EAST Search History

S38	24	(roll\$over or (roll\$3 near4 over)) and (shap\$3 near4 traffic) and phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 14:51
S39	100	((wrap\$4 near4 around)) and (shap\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:02
S40	3	((wrap\$4 near4 around) near4 timer) and (shap\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:02
S41	0	((wrap\$4 near4 around) near4 timer) and (polic\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:03
S42	103	((wrap\$4 near4 around)) and (polic\$3 near4 traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:03
S43	12	((wrap\$4 near4 around)) and (polic\$3 near4 traffic) and roll\$over	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:05
S44	0	((wrap\$4 near4 around)) and (polic\$3 near4 parameter) and roll\$over	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:05
S45	6	((wrap\$4 near4 around)) and (traffic near4 shap\$3) and roll\$over	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:11
S46	1	"6438134".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:09
S47	1	"6396843".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:09
S48	1	"6343076".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:10
S49	1	"6320845".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:10
S50	1	"6058114".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:10
S51	1	"5926459".PN.	USPAT; USOCR	OR	ON	2005/12/27 15:11
S52	3	"6529474"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:40

EAST Search History

S53	1235	(digital near4 signature) and (original near4 message)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 15:40
S54	573	(digital near4 signature) and (original near4 message) and authentication and sender and receiver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/27 16:13
S55	2	((("5539808") or ("5528672"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 17:11
S56	782	mgcp	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/27 17:11
S57	875	(media near4 gateway near4 protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/27 17:12
S58	347	(media adj4 gateway adj4 protocol) and multimedia	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/27 17:12
S59	2666	(traffic near4 polic\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/20 14:48
S60	54	(traffic near4 polic\$3) and parameter and ((oam or maintenance) near4 data)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/20 14:58
S61	47	(traffic near4 polic\$3) and roll\$\$over	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/20 14:58
S62	48	(traffic near4 polic\$3) and roll\$\$over	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/20 14:58
S63	19	(traffic near4 polic\$3) and roll\$\$over and timer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/20 15:52
S64	20	(traffic near4 polic\$3) and roll\$\$over and theoretical and phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/20 15:55
S65	32	(traffic near4 polic\$3) and roll\$\$over and conform\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/20 15:55